



# GLAZED DOORS

---

With a sleek yet secure finish, our glazed door range offers a durable steel door solution, suitable for areas such as communal entrances and commercial buildings. Available with both fire and security rated options.



**Security & fire rated options**



**CE marked**



**Variety of sizes and configurations available**



**Please note: all information in this data sheet is to be used as a guide only.  
Multiple configurations and hardware options available. Please enquire for a bespoke quotation.**

All measurements are in millimetres (mm).

## Standard

	Single	Double	Leaf & Half
<b>Max Width</b>	1400	2800	2700
<b>Max Height</b>	3000	3000	3000
<b>Min Width</b>	900	1600	1200
<b>Min Height</b>	500	500	500
<b>Side Panels - Min size</b>	300 x 300	300 x 300	300 x 300
<b>Side Panels - Max size</b>	1360 (w) x 3000 (h)	1360 (w) x 3000 (h)	1360 (w) x 3000 (h)
<b>Over Panels - Min size</b>	300 (w) x 300 (h)	300 (w) x 300 (h)	300 (w) x 300 (h)
<b>Over Panels - Max size</b>	1360 (h) x 3000 (w)	1360 (h) x 3000 (w)	1360 (h) x 3000 (w)
<b>Inward Opening?</b>	Yes	Yes	Yes
<b>Fire Integrity</b>	n/a	n/a	n/a
<b>Security Rating</b>	n/a	n/a	n/a
<b>Panic Hardware?</b>	Exidor unless specified	Exidor unless specified	Exidor unless specified
<b>Access Control?</b>	Maglocks, electric strikes, solenoid, battery-operated	Maglocks, electric strikes, solenoid, battery-operated	Maglocks, electric strikes, solenoid, battery-operated

## Security Rated

	Single	Double	Leaf & Half
<b>Max Width</b>	1400	2800	2700
<b>Max Height</b>	2440	2440	2440
<b>Min Width</b>	900	1600	1400
<b>Min Height</b>	1800	1800	1800
<b>Side Panels - Min size</b>	Not permitted	Not permitted	Not permitted
<b>Side Panels - Max size</b>	Not permitted	Not permitted	Not permitted
<b>Over Panels - Min size</b>	490 (h) x 300 (w)	490 (h) x 300 (w)	490 (h) x 300 (w)
<b>Over Panels - Max size</b>	1000 (h) x 3000 (w)	1000 (h) x 3000 (w)	1000 (h) x 3000 (w)
<b>Inward Opening?</b>	Not permitted	Not permitted	Not permitted
<b>Fire Integrity</b>	4 hours max	4 hours max	4 hours max
<b>Security Rating</b>	SR2	SR2	SR2
<b>Panic Hardware?</b>	Exidor 700 series	Exidor 700 series	Exidor 700 series
<b>Access Control?</b>	Surelock McGill	Surelock McGill	Surelock McGill

## Fire Rated

	Single	Double	Leaf & Half
<b>Max Width</b>	1385	2772	2772
<b>Max Height</b>	3000	3000	3000
<b>Min Width</b>	900	1600	1200
<b>Min Height</b>	500	500	500
<b>Side Panels - Min size</b>	300 x 300	300 x 300	300 x 300
<b>Side Panels - Max size</b>	1360 (w) x 3000 (h)	1360 (w) x 3000 (h)	1360 (w) x 3000 (h)
<b>Over Panels - Min size</b>	300 (w) x 300 (h)	300 (w) x 300 (h)	300 (w) x 300 (h)
<b>Over Panels - Max size</b>	1360 (h) x 3000 (w)	1360 (h) x 3000 (w)	1360 (h) x 3000 (w)
<b>Inward Opening?</b>	Yes (unless CE marked)	Yes (unless CE marked)	Yes (unless CE marked)
<b>Fire Integrity</b>	4 hours max	4 hours max	4 hours max
<b>Security Rating</b>	n/a	n/a	n/a
<b>Panic Hardware?</b>	Exidor unless specified	Exidor unless specified	Exidor unless specified
<b>Access Control?</b>	Yes (unless CE marked)	Yes (unless CE marked)	Yes (unless CE marked)



Rotec: the best supply and install lead times for steel doors, guaranteed.

We are proud to offer bespoke steel doors with unbeatable supply and install lead times. We regularly conduct maintenance inspections and safety tests on all of our doors, ensuring we meet the latest compliance standards.

For more information on any of our product ranges, or to receive a bespoke quotation, please get in touch:

**Robbie Shaw, Sales Manager**

robbie.shaw@rotecsecurity.co.uk

0161 439 4433 / 07384 457650