



# LOUVRED DOORS

---

Louvred doors are suitable for buildings which require continuous ventilation. Available as a standard louvred door, or with added security protection.



**Various finishes & hardware available**



**CE Marked to BS EN 14351-1**



**PAS24 security rating available**



Please note: all information in this data sheet is to be used as a guide only.  
Multiple configurations and hardware options available. Please enquire for a bespoke quotation.

## Single

All measurements are in millimetres (mm)

	Partial Louvre	Fully Louvred	Fully Louvred - PAS24
Max Width	1400	1400	1400
Max Height	3000	3000	2440
Min Width	900	900	900
Min Height	500	500	1800
Side Panels - Min size	300 x 300	300 x 300	Not permitted
Side Panels - Max size	1360 (w) x 3000 (h)	1360 (w) x 3000 (h)	Not permitted
Over Panels - Min size	300 (h) x 300 (w)	300 (h) x 300 (w)	490 (h) x300 (w)
Over Panels - Max size	1360 (h) x 3000 (w)	1360 (h) x 3000 (w)	1000 (h) x 3000 (h)
Inward Opening?	Yes	Yes	No
Vision panel(s)	Yes	Yes	Yes
Fire Integrity	4 hours max	4 hours max	4 hours max
Panic Hardware?	Exidor unless specified	Exidor unless specified	Exidor 700 series
Access Control?	Maglocks, electric strikes, solenoid locks, battery operated locks	Maglocks, electric strikes, solenoid locks, battery operated locks	Surelock McGill

## Double

	Partial Louvre	Fully Louvred	Fully Louvred - PAS24
Max Width	2800	2800	2800
Max Height	3000	3000	2440
Min Width	1600	900	1600
Min Height	500	500	1800
Side Panels - Min size	300 x 300	300 x 300	Not permitted
Side Panels - Max size	1360 (w) x 3000 (h)	1360 (w) x 3000 (h)	Not permitted
Over Panels - Min size	300 (h) x 300 (w)	300 (h) x 300 (w)	490 (h) x300 (w)
Over Panels - Max size	1360 (h) x 3000 (w)	1360 (h) x 3000 (w)	1000 (h) x 3000 (h)
Inward Opening?	Yes	Yes	No
Vision panel(s)	Yes	Yes	Yes
Fire Integrity	4 hours max	4 hours max	4 hours max
Panic Hardware?	Exidor unless specified	Exidor unless specified	Exidor 700 series
Access Control?	Maglocks, electric strikes, solenoid locks, battery operated locks	Maglocks, electric strikes, solenoid locks, battery operated locks	Surelock McGill



## Leaf & Half

	Partial Louvre	Fully Louvred	Fully Louvred - PAS24
<b>Max Width</b>	2700	2700	2700
<b>Max Height</b>	3000	3000	2440
<b>Min Width</b>	1200	1200	1400
<b>Min Height</b>	500	500	1800
<b>Side Panels - Min size</b>	300 x 300	300 x 300	Not permitted
<b>Side Panels - Max size</b>	1360 (w) x 3000 (h)	1360 (w) x 3000 (h)	Not permitted
<b>Over Panels - Min size</b>	300 (h) x 300 (w)	300 (h) x 300 (w)	490 (h) x 300 (w)
<b>Over Panels - Max size</b>	1360 (h) x 3000 (w)	1360 (h) x 3000 (w)	1000 (h) x 3000 (h)
<b>Inward Opening?</b>	Yes	Yes	No
<b>Vision panel(s)</b>	Yes	Yes	Yes
<b>Fire Integrity</b>	4 hours max	4 hours max	4 hours max
<b>Panic Hardware?</b>	Exidor unless specified	Exidor unless specified	Exidor 700 series
<b>Access Control?</b>	Maglocks, electric strikes, solenoid locks, battery operated locks	Maglocks, electric strikes, solenoid locks, battery operated locks	Surelock McGill



Rotec: the best supply and install lead times for steel doors, guaranteed.

We are proud to offer bespoke steel doors with unbeatable supply and install lead times. We regularly conduct maintenance inspections and safety tests on all of our doors, ensuring we meet the latest compliance standards.

For more information on any of our product ranges, or to receive a bespoke quotation, please get in touch:

**Robbie Shaw, Sales Manager**

robbie.shaw@rotecsecurity.co.uk

0161 439 4433 / 07384 457650