



# SECURITY DOORS: SR1

---

Our range of security doors is both intruder and explosive resistant, providing you with a secure, safety-first solution. SR1 doors provide a low-mid level security option, where Secured By Design standards are not required.



**Low-mid level  
security protection**



**Tested to LPS1175  
SR1 standards**



**Bespoke design**



**Multiple size  
options available**



**Please note: all information in this data sheet is to be used as a guide only.  
Multiple configurations and hardware options available. Please enquire for a bespoke quotation.**

## Opening Configurations

Outward Opening only.

## Sizes

All measurements are in millimetres (mm).

	<b>Min Width</b>	<b>Max. Width</b>	<b>Min. Height</b>	<b>Max Height</b>
<b>Single Door</b>	600	1440	1800	2440
<b>Double Door</b>	1100	2800	1800	2440

	<b>Min. Size</b>	<b>Max. Size</b>
<b>Side Panels</b>	n/a	n/a
<b>Over Panels</b>	500	1000

## Door Leaf

- Door Leaf material: 1.5mm Zintec Steel
- 45mm thick door leaf with astragal lip to closing edge
- Rockwool Infill
- Estimated 35db acoustic rating

## Weight

Frame: 15kg

Leaf: 70kg

## Hardware available

Fitted with sashlock and lever handles with europrofile cylinder as standard.

Emergency and panic escape hardware (by Exidor) also available.

Access control by Surelock Stirling.

## Finishes


Polyester Powder Coated from standard colour range, non-standard colours are available at request.

You can find our **RAL colour chart here.**




## Frame Detail


Frame



Threshold



Meeting Stile



Single



Double

Suitable for fixing into timber, steel, or masonry.



Rotec: the best supply and install lead times for steel doors, guaranteed.

We are proud to offer bespoke steel doors with unbeatable supply and install lead times. We regularly conduct maintenance inspections and safety tests on all of our doors, ensuring we meet the latest compliance standards.

For more information on any of our product ranges, or to receive a bespoke quotation, please get in touch:

**Robbie Shaw, Sales Manager**

[robbie.shaw@rotecsecurity.co.uk](mailto:robbie.shaw@rotecsecurity.co.uk)

0161 439 4433 / 07384 457650