



SECURITY DOORS: SR2

Our range of security doors is both intruder and explosive resistant, providing you with a secure, safety-first solution. SR2 doors are suitable for premises that require a higher level of security protection, when there is an increased risk of forced entry by intruders.



Mid-level security protection



Tested to LPS1175 SR2 standards



Adheres to Secure By Design standards



Inward opening available



Please note: all information in this data sheet is to be used as a guide only.

Multiple configurations and hardware options available. Please enquire for a bespoke quotation.

Sizes

All measurements are in millimetres (mm).

	Min Width	Max. Width	Min. Height	Max Height
Single Door	600	1440	1800	3100
Double Door	1100	2800	1800	3100

	Min. Size	Max. Size
Side Panels	n/a	n/a
Over Panels	500 (h)	1000 (h)

Overview

- · Inward and outward opening available
- Door leaf: 1.5mm Zintec Steel, 45mm door leaf with astragal lip to closing edge
- Door frame: 1.5mm Zintec Steel, 100mm single rebate
- Infil: Rockwool and plasterboard
- Estimated U-Value: 2.2
- Acoustic rating: up to 42dB
- Weight: 65kg (per metre squared)

Additional Options

Vision Panels

400mm x 400mm 457mm x 457mm 610mm x 610mm 200mm x 1000mm 200mm x 500mm Louvres

457mm x 457mm

600mm x 900mm - 200mm gap required



200mm x 1000mm



200mm x 500mm



610mm x 610mm



457mm x 457mm




600mm x 900mm*
*Dependent on door size

Hardware available

Panic hardware: Mico Abryll PE Range Access control: Mico Abryll EM Range



Frame Detail



Frame dimensions may vary depending on specification. Suitable to fix into steel or masonry.

Finishes

Polyester Powder Coated from standard colour range, non-standard colours are available at request. You can find our **RAL colour chart here.**



Rotec: the best supply and install lead times for steel doors, guaranteed.

We are proud to offer bespoke steel doors with unbeatable supply and install lead times. We regularly conduct maintenance inspections and safety tests on all of our doors, ensuring we meet the latest compliance standards.

For more information on any of our product ranges, or to receive a bespoke quotation, please get in touch:

Robbie Shaw, Sales Manager robbie.shaw@rotecsecurity.co.uk 0161 439 4433 / 07384 457650

