



# SECURITY DOORS: SR4

---

Our range of security doors are both intruder and explosive resistant, providing you with a secure, safety-first solution. SR4 doors are resistant to experienced attempts at forced entry using heavy duty and high powered tools. Suitable for premises where high security is essential such as MoD buildings, cash offices & Home Office approved gun rooms.



**Highest level security protection**



**Tested to LPS1175 SR4 standards**



**Over 100 locking options**



**Adheres to Secure By Design standards**

**Please note: all information in this data sheet is to be used as a guide only.  
Multiple configurations and hardware options available. Please enquire for a bespoke quotation.**

## Sizes

All measurements are in millimetres (mm).

	Min Width	Max. Width	Min. Height	Max Height
<b>Single Door</b>	600	1430	1485	2930
<b>Double Door</b>	1100	2600	1485	2930

	Min. Size	Max. Size
<b>Side Panels</b>	n/a	1500 (w)
<b>Over Panels</b>	n/a	1500 (h)

## Overview

- Outward opening. Inward opening for single doors only.
- Door leaf: 1.5mm Zintec Steel, 45mm door leaf with astragal lip to closing edge
- Door frame: 1.5mm Zintec Steel, 110mm single rebate
- Infil: Honeycomb
- Estimated U-Value: 3.4
- Weight: 75kg (per metre squared)

## Additional Options

### Vision Panels


203mm x 356mm  
203mm x 762mm  
457mm x 457mm

### Louvres

457mm x 457mm  
305mm x 305mm top and bottom




200mm x 1000mm



203mm x 356mm &  
203mm x 762mm  
Both DDA compliant  
(Not permitted with panic bar)



457mm x 457mm  
(Not permitted with  
panic bar)



457mm x 457mm  
Maximum size 600mm x 600mm


## Hardware available

Heavy duty Mico Abryll hardware fitted as standard. Panic or emergency escape options available as well as electronic access control.




## Frame Detail



Frame



Threshold



Meeting Stile



Single

Double

Frame dimensions may vary depending on specification.  
Suitable to fix into steel or masonry.

## Finishes

Polyester Powder Coated from standard colour range, non-standard colours are available at request.  
You can find our **RAL colour chart here.**



Rotec: the best supply and install lead times for steel doors, guaranteed.

We are proud to offer bespoke steel doors with unbeatable supply and install lead times. We regularly conduct maintenance inspections and safety tests on all of our doors, ensuring we meet the latest compliance standards.

For more information on any of our product ranges, or to receive a bespoke quotation, please get in touch:

**Robbie Shaw, Sales Manager**  
robbie.shaw@rotecsecurity.co.uk  
0161 439 4433 / 07384 457650